Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	fukunaga.in. and ((reset\$4 same stay\$5 or remain\$5) same (unchang\$5 or connect\$6 or configur\$5) same node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:57
L2	11	fukunaga.in. and ((reset\$4 same stay\$5 or remain\$5) same (unchang\$5 or connect\$6 or configur\$5) same node) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:50
L3	0	fukunaga.in. and ((reset\$4 and stay\$5 or remain\$5) and (unchang\$5 or connect\$6 or configur\$5) and node and ((secur\$5 or re-secur\$5) with resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:56
L4	5	((reset\$4 and stay\$5 or remain\$5) and (unchang\$5 or connect\$6 or configur\$5) and node and ((secur\$5 or re-secur\$5) with resource)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:58
L5	2	matsuda.in. and ((reset\$4 and stay\$5 or remain\$5) and (unchang\$5 or connect\$6 or configur\$5) and node and ((secur\$5 or re-secur\$5) with resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:56
L6	13	matsuda.in. and ((reset\$4 same stay\$5 or remain\$5) same (unchang\$5 or connect\$6 or configur\$5) same node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:57
L7	0	((reset\$4 and stay\$5 or remain\$5) and (unchang\$5 or connect\$6 or configur\$5) and node and ((secur\$5 or re-secur\$5) with resource)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:58
L8	38	((reset\$4 and stay\$5 or remain\$5) and (unchang\$5 or connect\$6 or configur\$5) and node and ((secur\$5 or re-secur\$5) with resource)).detd. and @ad<"19991228" and (709/220. ccls. or 709/223.ccls. or 709/224. ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:59

L9	38	(((detect\$5 with bus with reset\$4) and stay\$5 or remain\$5) and (unchang\$5 or connect\$6 or configur\$5) and node and ((secur\$5 or re-secur\$5) with resource)).detd. and @ad<"19991228" and (709/220. ccls. or 709/223.ccls. or 709/224.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 13:00
L10	0	ccls. or 709/229.ccls.) (((detect\$5 with bus with reset\$4) and stay\$5 or remain\$5) same (unchang\$5 or connect\$6 or configur\$5) same node same ((secur\$5 or re-secur\$5) with resource)) and @ad<"19991228" and (709/220.ccls. or 709/223. ccls. or 709/224.ccls. or 709/229. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 13:01
L11	5	(((detect\$5 with bus with reset\$4) and stay\$5 or remain\$5) same (unchang\$5 or connect\$6 or configur\$5) same node) and ((secur\$5 or re-secur\$5) with resource) and @ad<"19991228" and (709/220.ccls. or 709/223. ccls. or 709/224.ccls. or 709/229. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 13:03
L12	0	(bus same reset\$5 same detect\$5 same (secur\$5 or lock\$5 or re-secur\$5) same node) and @ad<"19991228" and (709/220. ccls. or 709/223.ccls. or 709/224. ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 13:04
L13	2	(bus same reset\$5 same detect\$5 same (secur\$5 or lock\$5 or re-secur\$5) same (resource or node or device)) and @ad<"19991228" and (709/220. ccls. or 709/223.ccls. or 709/224. ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 13:04
L14	71	(bus same reset\$5 same detect\$5 same (secur\$5 or lock\$5 or re-secur\$5) same (resource or node or device)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 13:05
L15	12	(bus same reset\$5 same detect\$5 same (secur\$5 or lock\$5 or re-secur\$5) same (node)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 13:05